

Upon application for a transfer of the license, the Board of Health shall issue a transfer if the Superintendent of Police shall report that the transferee is of good moral character.

1338 (1222E). (Trailer Coach Park Plan.) The trailer coach park shall conform to the following requirements:

(a) The park shall be located on a well-drained site, properly graded to insure rapid drainage and freedom from stagnant pools of water.

(b) Trailer coach spaces shall be provided consisting of a minimum of 1,000 square feet for each space which shall be at least 25 feet wide and clearly defined. Trailer coaches shall be so harbored on each space that there shall be at least a 15 foot clearance between trailer coaches. No trailer coach shall be located closer than 20 feet from any property line bounding the park.

(c) All trailer coach spaces shall abut upon a driveway of not less than 20 feet in width which shall have unobstructed access to a public street, alley or highway. All driveways shall be hard surfaced, well marked in the daytime and lighted at night with 25 watt lamps at intervals of 100 feet located approximately 15 feet from the ground.

(d) Walkways not less than two feet wide shall be provided from the trailer coach spaces to the service buildings. The walkways shall be hard surfaced, well marked in the daytime and lighted at night with 25 watt lamps at intervals of 100 feet located approximately 15 feet from the ground.

(e) Each park shall provide service buildings to house toilet facilities, bathing facilities, laundry facilities and other sanitary facilities as hereinafter more particularly prescribed and comply in all respects to State and County requirements.

(f) An electrical outlet supplying at least 110 volts shall be provided for each trailer coach space.

1339 (1222F). (Location.) Trailer coach parks must be zoned for trailer coach park use. Each boundary of the park must be at least 200 feet from any permanent residential building located outside the park unless separated therefrom by a natural or artificial barrier, or unless a majority of the property owners according to area within said 200 feet, consent in writing to the establishment of the park.

1340 (1222G). (Water Supply.) An adequate supply of pure water for drinking and domestic purposes shall be supplied to meet the requirements of the State and County. The water supply shall be obtained from faucets only. No common drinking cups shall be permitted. Cold water supply